

# „Handle Bag Autumn“

eBook from [stephankie-dreams.com](https://stephankie-dreams.com)



sewing instructions and sewing pattern

Copyright for the "Handle Bag Autumn" by Stephanie Müller, Stephankie-Dreams, October 2022. Items sewn from this pattern may be sold without quantity restrictions, provided that the author of the pattern ("handle bag autumn" by Stephankie-Dreams) is credited in the product description. Mass production, publication of the eBook, or any parts thereof is expressly prohibited.

## contens

important links .....	3
who is behind Stephankie-Dreams .....	4
handle bag autumn .....	5
sewing terms .....	6
instructions for printing .....	8
required materials .....	10
material consumption .....	11
sewing instructions .....	12
sewing pattern .....	20

*Stephankie-Dreams*

No liability is assumed for any errors in the instructions

## important links

Thank you for choosing an eBook from *Stephankie-Dreams*.

*Stephankie-Dreams* eBooks contain many pictures and are described in great detail, so even beginners can achieve beautiful sewing results with these instructions.

Every idea that comes to my mind is lovingly developed by hand, thoroughly tested, and repeatedly sewn until everything fits perfectly.

I am happy to answer your wishes and questions about sewing at

[info@stephankie-dreams.de](mailto:info@stephankie-dreams.de)

You can find all the news on Facebook ( [Stephankie-Dreams](#) )  
and on Instagram ( [#stephankiedreamsde](#) )

*Stephankie-Dreams*

No liability is assumed for any errors in the instructions

## Who is behind Stephankie-Dreams



Many years ago, creating patterns was not even a consideration. I've always enjoyed being creative. Slowly but surely, I continued to develop my skills. During my first training, I came into contact with a sewing machine for the first time and found pleasure in using it. My first attempts were homemade carnival costumes for my two children. They had such unique requests that I simply had to take matters into my own hands. But it was only years later, when I held a piece of jersey fabric in my hands, that I fell head over heels in love with this material. Jersey is so versatile and so comfortable to wear.

So, I began sewing everyday clothing for the children in my family. I enjoyed it so much that I started to build my company, Stephankie-Dreams, to sell handcrafted products. With every piece I produced, I learned more and more, and new ideas for products kept popping into my head, which I put on paper and brought to life. Eventually, I wanted to share my experiences and ideas with others and began creating my own patterns.

With eBooks from Stephankie-Dreams, I now want to reach many people who want to learn the craft of sewing. I hope that it sparks a passion for sewing in some, as the joy of every handmade piece is indescribable.

So now, I wish you all a lot of fun and success in sewing.

*Yours, Stephanie*

*Stephankie-Dreams*

No liability is assumed for any errors in the instructions

## handle bag autumn

Children love collecting acorns and chestnuts in the fall. The „handle bag autumn“ is perfect for this. It measures 9,45 in x 8,27 in.

Does your child want to carry part of the shopping or take their toys everywhere in their own bag? The "handle bag autumn" is also perfect for this.

The bag is sewn from cotton fabrics.

Sewn pieces made from this pattern may be sold without any quantity restrictions. The author of the pattern ('handle bag autumn' by Stephankie-Dreams) must be credited in the description text. Mass production, publication of the eBook, or sharing any parts of it is expressly prohibited.



*Stephankie-Dreams*

No liability is assumed for any errors in the instructions

## sewing terms

**seam allowance** = When cutting pattern pieces, a seam allowance of approximately 3/8 in is often added. This ensures that the garment will not be tighter than it should be when sewn.

**trim seam allowance** = This refers to trimming the seam allowance after sewing. This makes the seams flatter.

**to clip** = For corners or curves, small notches are made in the seam allowance after sewing, so that the seam lies flat and the corner can be properly pushed out after turning.

**seam lock** = To prevent the seam from coming undone, a few stitches must be sewn forward and backward at the beginning and end of each seam.

**right fabric side** = The right side of the fabric is the more attractive side and should be used as the outer side.

**left fabric side** = The left side should be used as the inner fabric side. It is the less attractive side of the fabric.

**grainline** = This refers to the fabric grainline that must be observed when cutting pattern pieces.

**presser foot width** = The fabric is guided along the edge of the presser foot during sewing.

**apply** = Sew on appliqués using a zigzag stitch (stitch width 3.5 and stitch length 0.9). Use thread that matches each appliqué's color.

**edgestitch** = Here, sew close to the edge of the fabric.

**running stitch** = Here, sew over an edge to additionally stabilize it.

**curl** = The creation of gathers.

**right sides together** = Here, two pattern pieces are placed together with the right sides facing each other. The less attractive side is therefore on the outside.

*Stephankie-Dreams*

No liability is assumed for any errors in the instructions

**finish** = Here, a zigzag stitch is used to sew over the fabric edges to prevent fraying and/or to sew them together at the same time.

**fold** = The pattern is placed once with the writing facing up on the fabric, and once mirrored along the fold edge on the fabric.

Please read the instructions carefully before you start sewing, as this will answer most questions in advance.

**A seam allowance of 3/8 in is already included in the pattern.**

Unless otherwise stated, always sew with a presser foot width.

*Stephankie-Dreams*


No liability is assumed for any errors in the instructions



## instructions for printing

### tip:

Print only the pattern in black and white to save costs and be environmentally friendly. The instructions are easy to read on screen.



The following print settings must be configured:

### Pages to print:

Select the Pages setting and enter the specific page numbers you need in the designated field.

### Size:

Choose Actual Size.



### Orientation:

Select Automatic Portrait/Landscape.

*Stephankie-Dreams*

No liability is assumed for any errors in the instructions



 <p>Schrittmaster Schürze "Boy and Girl" Schürze für Schürze Zange klein</p> <p>Schürze Zange klein Schürze unten Zuschneid: 1x Stoff</p> <p>1cm Nähtzugabe ist schon enthalten</p> <p>Stoffbruch</p> <p>Schürze Zange klein Hand Zuschneid: 4x Stoff, 2x einem gegenüber 1cm Nähtzugabe ist bereits enthalten</p> <p>Stoffbruch-Dynamik</p> <p>Kontrollquadrat 2cm x 2cm</p> <p>= Fadenlauf</p>	<p>Print all pattern pieces you need in their original size. Paper size must be 100%.</p>
 <p>Control square 2 in x 2 in</p>	<p>For verification, there is a 2 in x 2 in check box on the pattern. Measure it carefully. First, print only the first page of the pattern and check if the measurements of the check box are correct. If the measurements are correct, you have printed your pattern correctly. Now, print the remaining pages you need with the same print settings.</p>

## required materials



- sewing machine
- needle universal
- iron
- scissors, pins or fabric clips, pen
- pattern
- thread in various colors, matching the selected fabrics

*Stephankie-Dreams*

No liability is assumed for any errors in the instructions

## material consumption

material	consumption
cotton fabric pattern 1	ca. 24 x 8 in
cotton fabric pattern 2	ca. 28 x 12 in
fabric consumption when using only one fabric	ca. 40 x 20 in


*Stephankie-Dreams*

No liability is assumed for any errors in the instructions

## sewing instructions




First, cut out all required pattern pieces from fabric. Then, press all fabric pieces.



The pattern is placed with the writing facing up on the left side of the fabric.

*Stephankie-Dreams*

No liability is assumed for any errors in the instructions



fold = The pattern piece is placed once with the writing facing up on the fabric and once mirrored along the fold edge on the fabric. This will result in a connected fabric piece.



You now have the following pattern pieces :



pattern 1  
4x pocket part



pattern 2  
4x pocket part



pattern 1  
2x handle  
pattern 2  
2x inner bag

*Stephankie-Dreams*

No liability is assumed for any errors in the instructions

make from the bag



First, the outer bag is sewn. Arrange the four bag pieces in the way you want the patterns to be aligned in the end.



Fold the two pieces from the first row right sides together and sew them along the marked line.



The first two pieces are connected.



Do the same with the two pieces from the second row.

*Stephankie-Dreams*

No liability is assumed for any errors in the instructions





Fold the top row right sides together onto the bottom row. Sew both pieces together along the marked line.



The first piece of the outer bag is finished. Sew the second piece of the outer bag in the same way.



You now have two pieces for the outer bag.



Fold them right sides together and sew them along the marked line.




The outer bag is finished.



Next, sew the inner bag. Place the two inner bag pieces right sides together and sew them along the marked line. Note that there should be an opening at the bottom left for turning, which should not be sewn closed.



The inner bag is finished. There is a small opening at the bottom, which is the turning opening.



Now you will need the two pieces for the handles. Place one handle with the right side of the fabric facing up. Fold the bottom edge to the top edge of your piece, so you are now seeing the fabric from the wrong side, and sew the handle along the marked line. Turn the handle inside out.

*Stephankie-Dreams*

No liability is assumed for any errors in the instructions



Sew the second handle in the same way.



Place the outer bag with the right side of the fabric facing up in front of you. Pin the first handle to the outer bag. Measure 1,18 in to the right from the center of the bag and pin one end of the handle in place. Then measure 1,18 in to the left and pin the other end of the handle. On the other side of the bag, pin the second handle in the same manner.



The inner bag is now pulled over the outer bag and sewn around the upper edge. The inner bag is visible with the wrong side of the fabric facing out.



Turn the bag inside out through the opening you left for turning.





Close the opening of the inner bag with a zigzag stitch. Be sure to fold the fabric edges of the opening slightly inward before sewing it shut, so that you have a neat finish in the end.



Insert the inner bag into the outer bag and topstitch the upper edge close to the edge. Make sure that the edges of the outer bag and the inner bag are aligned neatly.



If you've made it this far, you can be happy. Your bag is finished.

*Stephankie~Dreams*

No liability is assumed for any errors in the instructions

## sewing pattern "handle bag autumn"

pattern pieces for the handle bag

control square

2 in x 2 in



= grainline

**handle bag autumn  
pocket part**

cut 4x pattern 1

cut 4x pattern 2



3/8 in seam allowance included

*Stephankie-Dreams*

**handle bag autumn  
inner bag**

cut 2x fabric on fold

3/8 in seam allowance included

*Stephankie-Dreams*

fold



**handle bag autumn  
handle**

cut 2x fabric

3/8 in seam allowance included

*Stephankie-Dreams*

